

GO OutdoorTable

landscapeforms

Product Data Sheet



Landscape Forms is pleased to introduce the GO OutdoorTable, a new platform for outdoor activity. A true original, GO provides a focal point and gathering place, a large work surface with access to data and power on or off the grid, and an optional canopy with lighting. GO is made of robust aluminum extrusions and castings. Its frame is hollow like an airplane wing, channeling technology within sleek and simple forms. Its generous size – 9.5 feet long and 30 inches wide – make it a beckoning element in the landscape. The optional canopy designed to reduce glare on personal devices acts as a spatial anchor. GO is offered in three basic configurations: dining height, standing height and standing height with canopy that enable people to work, meet or just plug in and connect, sitting or standing.

Dining Height

- Table is constructed of a cast and extruded aluminum frame with rolled steel surface panels
- Table must be surface mounted, anchoring hardware is included
- The table features a unique mounting system that allows for leveling adjustment
- Table ships fully assembled
- Table is ADA compliant for dining-height table requirements

Standing Height

- Table is constructed of a cast and extruded aluminum frame with rolled steel surface panels
- Table must be surface mounted, anchoring hardware is included
- The table features a unique mounting system that allows for leveling adjustment
- Table ships fully assembled
- Standing height table is available with hardwired power options
- Power garages hosting charging ports are located on the outer leg panels
- One or two power garages can be specified (for two garages, placement is one on each outer leg panel)
- Power garages can feature GFCI charging ports
- See charging port diagram for hardwired option arrangement



Table	Style	Depth	Width / Length	Height	Weight
	Dining Height	30"	114"	30"	345 lb

Table	Style	Depth	Width / Length	Height	Weight
	Standing Height	30"	114"	40.5"	385 lb

Standing Height Power Garage Location



(See page 2 for outlet diagram)

GO OutdoorTable

landscapeforms

Product Data Sheet



Standing Height with Canopy

- Table is constructed of a cast and extruded aluminum frame with rolled steel surface panels
- Table must be surface mounted, anchoring hardware is provided
- The table features a unique mounting system that allows for leveling adjustment
- Table ships fully assembled
- Canopied table is available with hardwired or solar power options



Hardwired

- Power garages hosting charging ports are located on the inside panels of the table canopy
- One or two power garages can be specified (for two garages, placement is one on each outer leg panel)
- Power garages can feature GFCI/USB combo charging ports
- See charging port diagram for hardwired option arrangement
- Hardwired tables with canopy are available with optional overhead LED lighting
- LED Lights have a color temperature of 3000k
- Note: hardwired LED lights remain constantly lit
- Through our Specials department, hardwired tables with canopy offer the ability to host technology, such as an all-weather monitor
- Please contact a Landscape Forms representative to evaluate options
- Monitors and other technology accessories are not available for purchase through Landscape Forms


**Note: A Monitor/TV is only available with the hard-wired version only*

Solar


- Power garages hosting charging ports are located on the inside panels of the table canopy
- One or two power garages can be specified (for two garages, placement is one on each outer leg panel)
- Power garages feature USB charging ports
- See charging port diagram for solar arrangement
- Solar-powered tables are available with optional overhead LED lighting
- LED lights have a color temperature of 3000k
- LED lights for solar powered tables are programmed to turn on at dusk and turn off at dawn light levels



Table	Style	Depth	Width / Length	Height	Weight
	Standing Height w/ Canopy	30"	114"	80"	755 lb
	Standing Height w/ Canopy, Solar	30"	114"	80"	755 lb

Standing Height with Canopy Power Garage Location



LED Light Locations on Standing Height with Canopy



HW GFCI/USB	Solar USB
	

GO OutdoorTable



Product Data Sheet



To Order

Specify in order: Model, Applicable Power and/or Lighting Option, Mounting Style and Powdercoat Color.

Product / Model	Power Option	Power Garage 1 Option	Power Garage 2 Option	Lighting Option	Mounting Option
BGDH GO OutdoorTable Dining Height	--	--	--	--	SM Surface Mount
Product / Model	Power Option	Power Garage 1 Option	Power Garage 2 Option	Lighting Option	Mounting Option
BGSH GO OutdoorTable Standing Height	NP No Power	--	--	--	SM Surface Mount
	HW Hardwired	NPG No Power Garage	NPG No Power Garage	--	
		PGG Power Garage - GFCI /USB	PGG Power Garage - GFCI /USB		

EXAMPLE: BGSH-HW-PGG-NPG-SM

GO OutdoorTable

landscapeforms

Product Data Sheet



Product / Model	Power Option	Power Garage 1 Option	Power Garage 2 Option	Lighting Option	Mounting Option
BGSCH GO OutdoorTable Standing Height w/Canopy	NP No Power	--	--	--	SM Surface Mount
	HW Hardwired	NPG No Power Garage	NPG No Power Garage	NL No Light HL30 HW Lighting - 3000K	
		PGG Power Garage - GFCI/USB	PGG Power Garage - GFCI/USB		
	SL Solar	NPG No Power Garage	NPG No Power Garage	NL No Light SL30 SL Lighting - 3000K	
		PGSU Power Garage - SL USB	PGSU Power Garage - SL USB		

EXAMPLE: BGSCH-HW-PGG-NPG-SM

Finishes

Metal is finished with Landscape Forms' proprietary Pangard II® polyester powdercoat, a hard yet flexible finish that resists rusting, chipping, peeling and fading

Call for standard color chart

GO OutdoorTable is designed by Landscape Forms

[Click here](#) for patent information related to this product

Visit [landscapeforms.com](https://www.landscapeforms.com) for more information. Specifications are subject to change without notice. Landscape Forms supports the Landscape Architecture Foundation at the Second Century level.
©2024 Landscape Forms, Inc. Printed in U.S.A.