Parallel 42

landscapeforms


Product Data Sheet



Compatible, interchangeable modules elegantly form the building blocks for activating outdoor space. Frame spaces, divide spaces, enliven spaces and spark social interactions—formal and informal, impromptu and planned. Parallel 42 creates settings around which complementary site elements support a variety of outdoor activities. Parallel 42 gives designers the freedom to approach any site as a blank canvas, the power to determine how the furnishing interfaces with the environment. Right-hand, left-hand, straight and wedge modules can be specified to meet at 30° or 45° angles, and include the option for backs and center arms that act as skate deterrents. The backs are substantial coined steel attached to the benches with no visible fasteners. They can be specified with a straight, left angle, right angle, or chamfered orientation. Parallel 42 is available in lpe, Jarrah or DSTMA wood, with powdercoated metal in a wide variety of colors.

Parallel 42

- Parallel 42 is a benching system constructed of choice of exterior wood, powdercoated metal supports, and optional backs and arms.
- Units sold individually as Left 30, Left 45, Right 30, Right 45, Wedge 30, Wedge 45, Straight, Straight with Right 45, and Straight with Left 45.
- Support frame, backs and center arm are powdercoated formed steel.
- Center arm was designed to also be a skate deterrent.
- Units can be freestanding or surface mounted.
- Units can be placed together to make configurations to meet a variety of applications.
- Left, Right and Straight units are 77" long.
- Wedge units are 67" long.
- Leveling glides are pre-installed for ready field adjustment.
- All bench units ship fully assembled.
- Rules for Configuring Benches:
 - Straight end bench should not be placed end-to-end with an angled bench.
 - Adding Backrests to benches where the angle of the two sides receiving backrests is less than 180 degrees, angled backs will be required.
 - Straight backs can only be used when the angle between the two faces receiving backrests is greater than or equal to 180 degrees.
 - Benches should only be configured with like angle benches (i.e.: 30 degree benches should only be used with 30 degree benches).



Note: weights represent units in Jarrah

Parallel 42

Product Data Sheet

2



STRAIGHT	DEPTH	LENGTH	HEIGHT	PRODUCT WEIGHT	STRAIGHT BACK	DEPTH	LENGTH	HEIGHT	PRODUCT WEIGHT
	18ª	67"	18"	174 lb		3/16"	67"	23.5"	85 lb
STRAIGHT W/ RIGHT 45	DEPTH	LENGTH	HEIGHT	PRODUCT WEIGHT	WEDGE BACK	DEPTH	LENGTH	HEIGHT	PRODUCT WEIGHT
	18"	67"	18"	178 lb		3/16"	67"	23.5"	73 lb
STRAIGHT W/ LEFT 45	DEPTH	LENGTH	HEIGHT	PRODUCT WEIGHT	RIGHT ANGLE BACK	DEPTH	LENGTH	HEIGHT	PRODUCT WEIGHT
	18"	67"	18"	178 lb		3/16"	67"	23.5"	78 lb
Note: Weights represent units in Jarrah				LEFT ANGLE BACK	DEPTH	LENGTH	HEIGHT	PRODUCT WEIGHT	

CENTER ARM	DEPTH	LENGTH	HEIGHT	PRODUCT WEIGHT	
	3.5"	13.5"	7.75"	15 lb	

3/16"

67"

23.5"

78 lb

Parallel 42

Product Data Sheet



Finishes

- Metal All metal is finished with Landscape Forms' proprietary Pangard II[®] polyester powdercoat, a hard yet flexible finish that resists rusting, chipping, peeling and fading.
- A wide range of standard, optional and custom colors are available.
- Exterior woods are unfinished and will weather to a soft pewter gray, requiring no future maintenance.

To Specify

3

• Specify Parallel 42, select bench style, choose wood type and powdercoat color for supports. Select optional metal back and style (color is standard to match supports), and optional center arm and powdercoat color. Parallel 42 can be specified freestanding or surface mount. All units ship fully assembled.

Designed by Brian Revoir

Protected by U.S. Patent Nos. D712,168; D712,169

<u>S</u> <u>S</u> S <u></u>	S S S	R R R	R
R		A A A A A A A A A A A A A A A A A A A	R
			W W

Visit landscapeforms.com for more information. Specifications are subject to change without notice. Landscape Forms supports the Landscape Architecture Foundation at the Second Century level. ©2021 Landscape Forms, Inc. Printed in U.S.A.