

Presidio

landscapeforms

Product Data Sheet



Presidio, designed by Brian Kane, combines graceful contours with durable materials to provide an elegant, yet secure solution for unprotected public spaces.

Seat

- Presidio seating is offered with or without backs. Arms may be specified for either style.
- One arm – left or right side – or two arms may be specified per seat.
- Left or right arm is determined from the position of sitting in the seat.
- Presidio seating may be specified in several lengths of straight runs.
- Presidio seats are framed by 1-1/4" o.d., .120 wall steel tube with four mitered corners.
- The insert panel is constructed of 5/8" o.d. round steel rods welded to the steel frame.
- Arms are 1-1/4" o.d., .065 wall thickness steel tube, welded to the seat frame.
- Hardware to attach seats to horizontal tube is shipped with each order.
- Hardware for anchoring supports is NOT included.

Distinctive

- The Presidio Collection, designed by Brian Kane, combines graceful contours with durable materials to provide an elegant, yet secure solution for unprotected public spaces.

Durable

- Presidio seats and receptacles feature solid metal rods, welded to tubular steel frames.
- Arms are tubular steel, welded to the seat frame.
- Seats bolt securely to a horizontal tubular steel support which may be freestanding, surface mounted or embedded.

Backed Straight Seats			
Backed seat with no arms	Backed seat with two arms	Backed seat with right arm	Backed seat with left arm
		22 1/2" x 30" Note: Straight seat with back for straight run applications.	

Straight Seats without Backs		
Seat without back with no arms	Seat without back with two arm	Seat without back with one arm. Seat may be mounted to provide arm on left or right
		22" x 22" Seat without back for straight run.

Presidio

landscapeforms

Product Data Sheet



Horizontal Tube Supports

- Seats are mounted on a dual 2-1/2" horizontal tube support.
- Adapters are welded onto the tubes, matching adapters are welded to seats.
- Seats are easily secured to supports with supplied bolts.
- Supports may be specified freestanding, surface mount or embedded.
- Tubes come in standard lengths of 46" for two seats, 69" for three seats, 92" for four seats and 115" for five seats.
- There are two vertical supports for each standard straight run of seats.
- Supports will be the same color as the seats.
- All fastenings for assembling the units are included.
- Hardware for surface mounting supports is NOT provided.

Embedded Support

- 2 1/2" o.d. steel tube for embedding in concrete.

Surface Mount Support




- 2 1/2" outer diameter steel tube with round 3/8" x 5 1/2" diameter floor flange.
- Metal 1 1/2" x 6" diameter cover plate with three, 9/16" diameter through holes comes standard.
- Bolts for anchoring to surface are NOT included.

Freestanding Support

- 2 1/2" o.d. steel tube with adjustable glides.

Suggested Groupings

- A variety of configurations is offered with Presidio.
- A few examples are shown on this page.
- Seats with or without backs may be interchanged in any combination in these examples.



Presidio

landscapeforms

Product Data Sheet



Finishing

- All metal is finished with Landscape Forms' exclusive Pangard II® polyester powdercoat process which forms a surface that resists rusting, chipping, peeling and fading.

To Specify Seating

- Specify Presidio bench and select seat and/or groupings. Choose backed or backless, if applicable arm placement, support style, and powdercoat color.

Designed by Brian Kane

[Click here](#) for patent information related to this product.

Visit landscapeforms.com for more information. Specifications are subject to change without notice. Landscape Forms supports the Landscape Architecture Foundation at the Second Century level. ©2025 Landscape Forms, Inc. Printed in U.S.A.

landscapeforms.com | specify@landscapeforms.com

